

## Maple Tutorial Part 2: Linear Algebra with Maple

[ At the beginning of each worksheet, it is best to restart Maple:

[ > **restart;**

[ Then, you should load Linear Algebra package using the following command:

[ > **with(LinearAlgebra) :**

[ To define a matrix, type

[ > **A:=Matrix([[1,2,3],[3,4,5],[6,7,8]]);**

$$A := \begin{bmatrix} 1 & 2 & 3 \\ 3 & 4 & 5 \\ 6 & 7 & 8 \end{bmatrix}$$

[ > **B:=Matrix([[1.2,3.4,7.5],[1.8,4.9,6.3]]);**

$$B := \begin{bmatrix} 1.2 & 3.4 & 7.5 \\ 1.8 & 4.9 & 6.3 \end{bmatrix}$$

[ To define a vector, type

[ > **v:=Vector([1,2,3]);**

$$v := \begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix}$$

[ > **u:=Vector([4,5,8]);**

$$u := \begin{bmatrix} 4 \\ 5 \\ 8 \end{bmatrix}$$

[ You can transpose a matrix

[ > **Transpose(A);**

$$\begin{bmatrix} 1 & 3 & 6 \\ 2 & 4 & 7 \\ 3 & 5 & 8 \end{bmatrix}$$

[ Maple allows you to extract, for example, the second column of the matrix B:

[ > **Column(A,2);**

$$\begin{bmatrix} 2 \\ 4 \\ 7 \end{bmatrix}$$

[ You can also extract rows

[ > **Row(A,1);**

$$[1, 2, 3]$$

[ You can construct a linear combination of vectors. For example  $w=3u-2v$  would be defined by

[ > **w:=3\*u-2\*v;**

$$w := \begin{bmatrix} 10 \\ 11 \\ 18 \end{bmatrix}$$

[ Matrix-vector product is constructed by using "dot" operator:

> **C:=A.v;**

$$C := \begin{bmatrix} 14 \\ 26 \\ 44 \end{bmatrix}$$

[ Please note that Maple refuses to compute vA, as expected:

> **v.A;**

Error, (in LinearAlgebra:-Multiply) LinearAlgebra:-VectorMatrixMultiply expects its 1st argument, v, to be of type Vector[row], but received Vector[column](3, [...], datatype = anything, storage = rectangular, order = Fortran\_order, shape = [])

[ Maple is a powerful tool for solving linear systems. The **LinearSolve** function returns the vector **x** that satisfies the linear system **A . x = b**. For example,

in order to solve the system

$$2x-y=18$$

$$x+3y=2$$

define

> **A :=Matrix([[2,-1],[1,3]]);**

$$A := \begin{bmatrix} 2 & -1 \\ 1 & 3 \end{bmatrix}$$

> **b:=Vector([18,2]);**

$$b := \begin{bmatrix} 18 \\ 2 \end{bmatrix}$$

> **LinearSolve(A,b);**

$$\begin{bmatrix} 8 \\ -2 \end{bmatrix}$$

[ Which, of course, means that  $x = 8$ ,  $y = -2$ .

[ You can also define coefficient matrix

> **S:=Matrix([[2,-1,18],[1,3,2]]);**

$$S := \begin{bmatrix} 2 & -1 & 18 \\ 1 & 3 & 2 \end{bmatrix}$$

[ and then obtain reduced row-echelon form (the command below uses older linear algebra package, hence the strange syntax):

> **linalg[rref](S);**

$$\begin{bmatrix} 1 & 0 & 8 \\ 0 & 1 & -2 \end{bmatrix}$$

[ To check the rank of a matrix, type

> **Rank(S);**

2

[ Commands described above, together with those described in Maple Tutorial part 1, are the only commands needed to work on Assignment 1 problems requiring Maple.